



## Chief Administrative Officer Report October 21, 2021

October 7– Web Broadcast Update with the Chief Officer of Health on Covid  
October 13 and 14 – Election Advance Polls  
October 18 – Election Day  
October 21 – Met with Library Executive; CAO/Council Relations CAMA Webinar

The caboose roof repair and the sewer lift station roof repair were both completed in October.

Clearwater Controls came on site to perform the service on the chlorine gas system in the water treatment plant. They did come across an area of concern with the system, specifically the regulators that are attached to the cylinders. They are showing signs of failure – this is not an immediate threat, but could pose a risk in the near future. As a temporary solution we had them replace a few of the components that cost ~ \$1,000. This should get us by another year until complete replacements can be budgeted for and purchased. Whole replacements will cost approximately \$5,000. We will get them to give us a quote for the work.

We are still working with Vieworx to get a system to map our Village assets on a digital map.

The October 18 Election ran smoothly with no issues. We had advance polls on October 13 and October 14 where 46 people voted. After October 18 a total of 160 people voted, as we ran our municipal election, as well as the School Trustee election, and collected votes for the Senate election and Referendum.

There is a new development permit approved for a new accessory building in the Crossroads subdivision (Schoorlemmer Seeds).

Training to new Council was offered in the form of 2 opportunities for the MUNIs 101 course, and the AUMA Convention in November.